


How to use the HQS-Web-Service in PHP4

For this Example are required :

- IIS
- PHP 4
- NuSoap Package (contain in the ZIP file)
- TiffToGif Converter (contain in the ZIP file)

1. Install the IIS Webserver and configure a virtual Directory i.e. PHP



2. Copy all Webfiles from Zip Archive in the Virtual Directory

3. Download and Install a up-to-date Version of PHP4 i.e.

<http://www.php.net/downloads.php>


4. Configure in the WINDOWS / WINNT Directory your PHP.ini

- Set register_globals = On
- Set max_execution_time = 180
- Set max_input_time = 180


5. Make Folders on Drive C:\

- C:\Cache → for Session data
- C:\Preview → for Image preview
- C:\PHP4\PEAR → for Nusoap Files
- C:\Convert → for TiffToGiff.exe

6. Give the Account IUSR_YOURNAME (Internetgastkonto) write Authorization on **C:\Cache** and **C:\Preview** and give this user rights to run files in **C:\Convert**



7. Copy the NuSoap Files in the Folder C:\PHP4\PEAR\
8. Copy the **TiffToGif.exe** in the Folder C:\Convert\
9. Now you can choose in your Browser this Address <http://localhost/php/start.htm>



10. This Example make a Client with NuSoap and call the Web-Service:

```
<?
require_once('nusoap.php'); //bind nusoap.php

//make a new SOAP Client
$client = new soapclient('http://ccs.fax.de/xmlws3.exe/wsdl/IXMLWS2','WSDL');

//create Parameter
$params = array($account,$pass,"");

//call Method Kundenname from Web-Service
$erg = $client->call('Kundenname', $params);

//save return value from Web-Service
$erg = array($erg['return'], $erg['KdName']);
?>
```